

भारतीय उष्णदेशीय मौसम विज्ञान संस्थान

INDIAN INSTITUTE OF TROPICAL METEOROLOGY (पृथ्वी विज्ञान मंत्रालय का स्वायत्त संस्थान, भारत सरकार के अधीन)

(An Autonomous Institute of the Ministry of Earth Sciences, Govt. of India)

सं.डब्ल्यूएस/ No. WS:50/2010/81/2 मेसर्स/ M/s.

प्रिय महोदय,/ Dear Sirs,

दिनांक 21.04.2010 की पूछताछ सं. WS:50/2010/81/2 की अनुक्रिया में दिनांक 7.5.2010 तक लिफाफे पर निवेदित दर सूची अंकित कर मुहरबंद निविदा निम्नलिखित भंडारों की आपूर्ति के लिए संस्थान द्वारा दिनांक 7.5.2010 के 18.00 बजे तक आमंत्रित किया जाता हैं जिसे दूसरे दिन 15.00 बजे खोला जाएगा।

Quotation in sealed cover superscribed there on Quotation due on 07.05.2010 in response to Enquiry No. WS:50/2010/81/2 dated 21.04.2010 are invited for the supply of under-mentioned stores so as to reach this institute latest by 18-00 hours on 07.05.2010 which will be opened on the next day at 15-00 hours.

सामान्न्यतः खोलने के दिनांक से कम से कम 60 दिनों की अवधि तक यह निवेदित दरसूची वैध रहेगी। The quotation shall normally remain valid for a minimum period of 60 days from the date of opening

इस पृष्ठ की दूसरी और छपे अनुदेशों को ध्यान में रख कर निवेदित दरसूची भरी जाएगी।

The quotation shall be filled in with the consideration to the instruction printed overleaf.

क्रम सं.	भंडार का विवरण/Description of Stores	इकाई/	मात्रा/
Sr. No.		Unit	Quantity
01.	 Specification of antenna cage for X-band radar system A. Fabrication, supply and installation of antenna cage Kindly refer the drawing No. (EEC-132996-100) and quote accordingly. The structure should be galvanised. B. Covering from all four sides with Aluminium sheet & logo on 2 sides with proper ventilation 	No.1	1 No.
	C. Top to be designed & fabricated for closure mechanically.		
	D. Fabrication, supply and installation of Pedestal mounting plates		
	Kindly refer to the drawing No. (EEC-133464-100) and quote accordingly. The plates should be powder coated. E. The entire structure is to be installed on flat bed trailer.Note:		
	 a. Drawings may be obtained from website: <u>www.tropmet.res.in</u> under tenders in Pdf form. b. Job should be completed and delivered before 31/5/2010. 		
Note:- (1 (2 (3 (4	 If above item is available on Rate Contract basis, then please specify accordingly in the quotation. Also enclose Rate Contract copy. Technical literature & pamphlet if any, may please be enclosed. 		
एस.टी./सीए	मटी/आदि के लिए संस्थान भवदीय/ You	rs faithfully	

कोई रियायती फार्म नहीं दे सकता। This Institute is unable to furnish any Concessional form for S.T / C.S.T. / etc.

कार्यक्रम प्रबंधक कार्यशाला/Program Manager Workshop कृते निदेशक/for Director

तार : ट्रॉपमेट, पुणे Grams : TROPMET, PUNE

फैक्स : Fax : (020) 25893825 दूरभाष : Telephone : 25893600/25893675-81

डॉ. होमी भाभा मार्ग, पाषाण / Dr. Homi Bhabha Road, Pashan, पुणे/ Pune-411 008 (भारत/India)

निविदा प्रस्ताव के लिये अनुदेश / INSTRUCTIONS TO TENDER

1. नियत तारीख के बाद प्राप्त दर सूची पर विचार नहीं किया जाएगा।

Quotation received after the due date will not be considered.

 दर सूची सुवाच्य रूप में भरी जानी चाहिये और शब्दों पर शब्द /सुधार, काटछांट विलोपन यदि हो तो उनको सटीक अनुप्रमाणित करना चाहिये और आपके शीर्षपत्र पर होना चाहिए।

Quotation must be filled in legibly and overwriting/corrections, erasures etc. if any, must be duly attested, and ON YOUR LETTER HEAD ONLY.

 पूछताछ पत्र में बताई इकायों के अनुसार दर सूचित किया जाना चाहिये। विशेष रुप से उल्लिखित इकाइयों से अलग इकाइयों पर यदि दर बताई जा रही है तो इन इकायों के सम्बन्ध का विवरण दिया जाएगा।

The rates shall quoted according to the units indicated in the enquiry letter. When the rates are quoted in units different from those specified, the relation between the units shall be furnished.

निवोदित भण्डार अधिमान्य रुप से तत्सम्बन्धित भारतीय मानक विनिर्देश के अनुसार होना चाहिए।

The Stores offered shall preferably be according to the relevant Indian Standard Specification.

5. निवोदित दर सूची में सुपूर्दगी की सही अवधि तथा सुपुर्दगी की शर्ते बताई जानी चाहिए।

The exact delivery period and terms of delivery shall invariably be mentioned in the quotation.

 "पाषाण में इस संस्तान भवन से सुपूर्टगी। (स्थानिक फर्मों के लिए) और "एफ ओ आर पुणे" (बाहर गांव के फर्मों के लिए) सुपूर्टगी" के आधार पर निवेदित दरों को वरीय माना जाएगा।

preference shall be given to rates quoted as delivery at this Institute premises at Pashan (for local firms) and as FOR Pune (for outstation firms)

- 7. दरों में वरीय रूप से सब प्रभार कर ड्युटी आदि में समाविष्ट करना चाहिए साथ ही इन प्रभारों को सुस्पष्ट और पृतक दिखाया जाना चाहिए। The rates preferably include all charges, taxes, duties etc., also these charges shall be shown distinctly and separately.
- 8. विक्री कर की रियायत दर के लिए फार्म (डी) या फार्म (ए.एफ.) जो भी उपयुक्त है वह संस्थान दे नहीं सकेगा।

The Institute will not be in position to furnish form (D) or form (AF) as the case may be for concessional rate of Sales Tax

रकम का भुगतान ३० दिनों के अंदर किया जाएगा।

Payment will be made within 30 days.

10. पूर्ती के आदेश जारी किये जाने के बाद आदेश में दर्शायी गयी-अवधि तक पूरी सुपूर्टगी की जानी चाहिए। रद्द सामग्री को बदलने में असफल होने पर आदेश बिना पूर्व सूचना से रद्द किया जा सकता है, और आगे जोखिम और लागत पर अन्य स्थान से सामग्री प्राप्त की जायेगी।

An order for supply when placed, must be completed in full within the delivery period indicated on the order. Failure to supply or replace the rejected materials if any, will render the order liable to be cancelled without notice and the material will be procured elsewhere at your risks and cost.

11. ऊपर बताए अनुदेशों को पूर्ति न करनेवाली दर सूचियों पर विचार नहीं किया जाएगा।

Quotations, not fulfilling the above instructions, are not likely to be considered.

12. किसी निविदा दर सूची या उसके अंश को कारण नहीं बताते हुए स्वीकृत अथवा अस्वीकृत करने का संस्थान अधिकार रखता है।

The Institute reserves the right to accept or reject any quotation or part thereof without assigning any reason there of.

13. प्रतिभूति पूर्तिकर्ता यह प्रतिभूति १२ महिनों की अवधि के लिए देगा कि पूर्ति के किये जानेवाले माल, कारीगरी, माल और विनिर्माण की सब

त्रुटियाँ और दोषों से मुक्त हो, उच्च कोटि के हो और संस्थापित और सामान्य रूप से स्वीकृत मानको के साथ मिलते हो, विशेष विवरण की पुष्टी करते

हो और यदि प्रचलित होते हो तो सटीक ढंग से प्रचलित होना चाहिए।

Warranty : The supplier shall give a warranty for a period of 12 months to the effect that the materials supplied shall free from all defects and faults in material, workmanship and manufacture shall be of the highest grade and consistant with the established and generally accepted standards shall be inconfirmatory with the specifications and shall be if operable operate properly.

नियम और शर्तें (ज़ारी) Terms and Conditions (contd.)

14. दर पत्र में निम्नांकित बातों के संदर्भ में स्पष्ट जानकारी दी जानी आवश्यक है जैसे कि यूनिट कीमत, विक्री कर, परिवहन, संक्रमणकालीन बीमा, स्थापित करने का खर्च और एक वर्ष की उसी जगह की वॉरंटी । विक्री कर में कोई माफी या छूट मिलने के बारे में संस्थान कोई प्रमाणपत्र ज़ारी नही करेगा । अपूरी जानकारी देनेवाले दरपत्रोंके बारे में कोई विचार नहीं किया जाएगा तथा रद्द किया जायेगा ।

Quotations must clearly indicate the features offered Unit Price[Sales Tax, Transport, Transit Insurance, Installation charges and one year on-site warranty. Institute cannot furnish any certificate for exemption or reduction in Sales Tax etc. Incomplete Quotation will not be considered and rejected.

- 15. अग्रिम का भुगतान नहीं किया जाएगा । No advance can be paid.
- 16. केन्द्रीय उत्पाद शुल्क कर के वेतन से संस्थान को छूट प्राप्त हुई और और अगर आवश्यक हो तो, अनुरोध पर विमोचन प्रमाणपत्र ज़ारी किया जायेगा ।

Institute is exempted from the payment of Central Excise duty and exemption certificate will be issued on requested, if required.

- 17. अगर कोई ऑक्ट्रॉय कर का भुगतान हो तो, उसका कृपया अलग उल्लेख किया जाए ।
 - Octroi payment if any, the same may please be shown separately.

18. भुगतान नियम निम्न प्रकार से है :-

Payment terms will be as follows :

- i) सन्तोषजनक प्रतिष्ठापना के बाद **90%** भुगतान ।
 - **90%** Payment after satisfactory installation.
- ii) राष्ट्रीयकृत बैंक द्वारा बैंक गारंटी का प्रत्यक्ष क्रियान्वयन होने के पश्चात् 10% का भुगतान होगा, यह वॉरंटी अवधि के समापन तक लागू रहेगी, जिसकी अवधि बढाई जा सकती है ।

10% Payment after execution of Bank Guarantee from a Nationalized Bank which will be valid till the expiry of warranty period including extension if any.

19. उपकरण स्थापित करने के पश्चात् स्वीकृति की सभी मानके जाँच पड़ताल की जाएगी । स्वीकृति के ऐसे परीक्षण पूरे हो जाने के बाद ही संबंधित उपकरण का स्वीकार किया जायेगा ।


All standard acceptance tests will be carried out after installation the equipment will be taken over only after successful completion of acceptance tests.

20. उसकी कीमत स्थिर और अपरिवर्तनीय होनी चाहिए और उसमें कच्चा माल और घटकों की लागत में वृद्धि होने पर या रूपया-विदेशी मुद्रा के विनिमय दर में बदलाव आने पर भी कोई परिवर्तन नहीं होगा । The price should be firm and irrevocable and not subject to any change whatsoever, even


The price should be firm and irrevocable and not subject to any change whatsoever, even due to increase in the cost of raw materials and components and Rupee-foreign exchange conversion rate.


21. उपकरण प्राप्त होने के पश्चात् एक महिने की अवधि में स्थापना प्रक्रिया पूरी होनी चाहिए ।


The installation process should be completed within one month from the date of delivery.





DBAWING INCOMPLETE INV DBAWING INCOMPLETE BV DECEMICION DAIT APROVID BV DECEMICION DECEMICION DIVIDUAL BV DECEMICION DIVIDUAL DECEMICION DIVIDUAL BV DECEMICION DIVIDUAL DIVIDUAL DIVIDUAL DIVIDUAL BV DIVIDUAL DIVI	I	-		2			
Image: Section of the sectio	DRAWING INC WITHOUT FOLLO	COMPLETE	REV	DESC		DATE	APPROVED
FIND NO. COMPONENT DESCRIPTION QIY. 1 132996-99 3/8 X3 X3 STEEL ANGLE 2 2 132996-97 3/8 X3 X3 STEEL ANGLE 2 3 132996-97 3/8 X3 X3 STEEL ANGLE 2 4 132996-97 3/8 X2 X3 STEEL ANGLE 2 5 132996-96 3/8 X2 X3 STEEL ANGLE 2 6 132996-97 3/8 X2 X3 STEEL ANGLE 2 5 132996-92 1/4 X 48 X144 HRS 4 7 132996-92 1/4 X 48 X144 HRS 4 9 132996-92 1/4 X 48 X144 HRS 2 10 132996-93 1/4 X 48 X144 HRS 2 11 132996-93 1/4 X 48 X 144 HRS 2 10 132996-89 1/4 X 48 X 144 HRS 2							
I 132996-99 3/8 X 3 X 3 STEEL ANGLE 2 2 132996-98 3/8 X 3 X 3 STEEL ANGLE 2 3 132996-97 3/8 X 2 X 3 STEEL ANGLE 2 4 132996-96 3/8 X 2 X 3 STEEL ANGLE 2 5 132996-96 3/8 X 2 X 3 STEEL ANGLE 2 4 132996-96 3/8 X 3 X 3 STEEL ANGLE 2 5 132996-96 3/8 X 3 X 3 STEEL ANGLE 2 6 132996-96 3/8 X 3 X 3 STEEL ANGLE 4 6 132996-93 1/4 X 48 X 144 HRS 4 7 132996-91 1/4 X 48 X 144 HRS 2 9 132996-91 1/4 X 48 X 144 HRS 4 11 132996-89 1/4 X 48 X 144 HRS 4 11 132996-87 1/4 X 48 X 144 HRS 2 12 132996-87 1/4 X 48 X 144 HRS 4 13 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1		94 50					
2 132996-98 3/8 X 3 X 3 STEEL ANGLE 2 3 132996-97 3/8 X 2 X 3 STEEL ANGLE 2 4 132996-96 3/8 X 3 X 3 STEEL ANGLE 2 5 132996-95 3/8 X 3 X 3 STEEL ANGLE 2 6 132996-96 3/8 X 3 X 3 STEEL ANGLE 4 6 132996-92 1/4 X 48 X 144 HRS 4 7 132996-92 1/4 X 48 X 144 HRS 4 8 132996-92 1/4 X 48 X 144 HRS 2 9 132996-90 1/4 X 48 X 144 HRS 4 11 132996-80 1/4 X 48 X 144 HRS 4 11 132996-87 1/4 X 48 X 144 HRS 4 11 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 14 X 4 X 4 STEEL ANGLE 2 2 2 2 10 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87							
4 132996-96 3/8 X 2 X 3 STEEL ANGLE 2 5 132996-95 3/8 X 3 X 3 STEEL ANGLE 4 6 132996-93 1/4 X 48 X 144 HRS 4 7 132996-93 1/4 X 48 X 144 HRS 4 8 132996-92 1/4 X 48 X 144 HRS 2 9 132996-91 1/4 X 48 X 144 HRS 2 10 132996-90 1/4 X 48 X 144 HRS 2 10 132996-90 1/4 X 48 X 144 HRS 4 11 132996-87 1/4 X 48 X 144 HRS 4 11 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 11 13 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 14 13 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 10 1020EMANDE ENVERSION13/00 ENTERPRISE LECTRONICS CORPORATION <			IND NO.				
S 132996-95 3/8 X 3 X 3 STELL ANGLE 4 6 132996-94 1/4 X 48 X 144 HRS 4 7 132996-93 1/4 X 48 X 144 HRS 4 7 132996-92 1/4 X 48 X 144 HRS 2 9 132996-92 1/4 X 48 X 144 HRS 2 9 132996-92 1/4 X 48 X 144 HRS 2 10 132996-92 1/4 X 48 X 144 HRS 4 11 132996-89 1/4 X 48 X 144 HRS 4 11 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 11 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 13 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 14 X 4 X 4 STEEL ANGLE 2 16 1728 Keiter NINCHE 2 14 X 4 X 4 STEEL ANGLE 2 16 174 X 4 X 4 STEEL ANGLE 2			1 2	132996-99 132996-98	3/8 X 3 3/8 X 3	X 3 STEEL ANGLE X 3 STEEL ANGLE	2 2
7 132996-93 1/4 X 48 X 144 HRS 4 8 132996-92 1/4 X 48 X 144 HRS 2 9 132996-91 1/4 X 48 X 144 HRS 2 10 132996-90 1/4 X 48 X 144 HRS 2 10 132996-89 1/4 X 48 X 144 HRS 4 11 132996-89 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 10 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 11 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 14 13 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 10 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 1 13 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 1 14 13 132996-100 EEC EEC 1 100 10501100 BRASWELL10/14/09			1 2 3 4	132996-99 132996-98 132996-97 132996-96	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2	X 3 STEEL ANGLE X 3 STEEL ANGLE X 3 STEEL ANGLE X 3 STEEL ANGLE	2 2 2 2 2
9 132996-91 1/4 X 48 X 144 HRS 2 10 132996-90 1/4 X 48 X 144 HRS 4 11 132996-89 1/4 X 48 X 144 HRS 4 11 132996-89 1/4 X 48 X 144 HRS 4 11 132996-89 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 11 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 11 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 11 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 12 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 10 MARENINCHS A09-0319 [05/11/09 ENTERPRISE ELECTRONICS CORPORATION WORC ORDER NUMBER A09-0319 [05/11/09 ENTERPRISE ELECTRONICS CORPORATION MAULAR: ACE DECIMAL ± .03 THREE PLACE DECIMAL ± .03 ENTERPRISE ALABAMA 36330 THREE PLACE DECIMAL ± .010 DRASWELL 10/14/09 FRAME WORK, LIFT SUPPORT MATERIAL STEWART 10/16/09 STEWART 10/16/09 STEE VINT DRASWELL 10/16/09 STEWART			1 2 3 4 5 6	132996-99 132996-98 132996-97 132996-96 132996-95 132996-94	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2	X 3 STEEL ANGLE X 48 X 144 HRS	2 2 2 2 2 4 4 4
11132996-891/4 X 4 X 4 STEEL ANGLE212132996-883/16 HOT ROLLED TREAD PLATE1413132996-871/4 X 4 X 4 STEEL ANGLE21413132996-871/4 X 4 X 4 STEEL ANGLE21413132996-871/4 X 4 X 4 STEEL ANGLE2141413132996-871/4 X 4 X 4 STEEL ANGLE2141413132996-871/4 X 4 X 4 STEEL ANGLE2141413132996-871/4 X 4 X 4 STEEL ANGLE214141414141415101010/13/091/4 X 4 X 4 STEEL ANGLE214141414141415101010/13/091/4 X 4 X 4 STEEL ANGLE2141414141414141510101010141416111111111111141713132996-10014141414181414141414141419141414141414141914			1 2 3 4 5 6 7	132996-99 132996-98 132996-97 132996-96 132996-95 132996-94 132996-93	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2	X 3 STEEL ANGLE X 48 X 144 HRS X 48 X 144 HRS	2 2 2 2 4 4 4 4
12132996-883/16 HOT ROLLED TREAD PLATE1413132996-871/4 X 4 X 4 STEEL ANGLE2UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± / AND PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.010DRAFISMANE. RIVERS 10/13/09 DATE 10/14/09 DBRASWELL 10/14/09 DBRASWELL 10/14/09EEC ®ENTERPRISE ELECTRONICS CORPORATION ENTERPRISE, ALABAMA 36330MATERIAL SEE PARTS LISTDBRASWELL 10/14/09 PROJ ENGINEER DATE 10/16/09FRAME WORK, LIFT SUPPORTFINISH PAINTDRAFISMAN POSTED BY L HELVIN 10/16/09SIZE CODE IDENT NO.CODE IDENT NO.BIZE CODE IDENT NO.DWG. NO.FINISH PAINTAPPROVALDYNOSIZE L HELVIN 10/16/09CODE IDENT NO.FINISH PAINTAPPROVALAPPROVALSIZE L HELVIN 10/16/09CODE IDENT NO.			1 2 3 4 5 6 7 8 9	132996-99 132996-98 132996-97 132996-96 132996-95 132996-94 132996-93 132996-92 132996-91	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2	X 3 STEEL ANGLE X 48 X 144 HRS X 48 X 144 HRS X 48 X 144 HRS X 48 X 144 HRS	2 2 2 2 4 4 4 4 2 2 2
13 132996-87 1/4 X 4 X 4 STEEL ANGLE 2 UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: TOLERANCES: TOLERANCES: TOLERANCES: TWO PLACE DECIMAL ± / ANGULAR: MACH ± 1/2* TWO PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.03 DBRASWELL 10/14/09 DBRASWELL 10/14/09 DBRASWELL 10/14/09 DBRASWELL 10/16/09 EEC.® ENTERPRISE ELECTRONICS CORPORATION ENTERPRISE, ALABAMA 36330 MATERIAL SEE PARTS LIST DBRASWELL 10/14/09 DBRASWELL 10/16/09 FRAME WORK, LIFT SUPPORT FINISH PAINT APPROVAL STEWART 10/16/09 SIZE CODE IDENT NO. DWG. NO. FINISH PAINT APPROVAL APPROVAL D1/16/09 SIZE CODE IDENT NO. DWG. NO.			1 2 3 4 5 6 7 8 9 10	132996-99 132996-98 132996-97 132996-96 132996-95 132996-94 132996-93 132996-92 132996-91 132996-90	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2	X 3 STEEL ANGLE X 48 X 144 HRS X 48 X 144 HRS	2 2 2 2 4 4 4 4 2 2 2 4
UNICESS OFFECTIFUD. E. RIVERS 10/13/09 ENTERPRISE ELECTRONICS CORPORATION DIMENSIONS ARE IN INCHES MORK ORDER NUMBER A09-0319 05/11/09 ENTERPRISE ELECTRONICS CORPORATION IDLERANCES: FRACTIONAL ± / BRASWELL 10/14/09 ENTERPRISE, ALABAMA 36330 TWO PLACE DECIMAL ±.03 D BRASWELL 10/14/09 FRAME WORK, LIFT SUPPORT MATERIAL D BRASWELL 10/16/09 FRAME WORK, LIFT SUPPORT SEE PARTS LIST GUALITY ASSURANCE S FREE 10/16/09 ORAFISMAN POSIED BY D BRASWELL 10/16/09 SIZE FINISH PAINT APPROVAL SIZE			1 2 3 4 5 6 7 8 9 10 11	132996-99 132996-98 132996-97 132996-96 132996-95 132996-93 132996-93 132996-92 132996-91 132996-90 132996-89	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2 1/4 2	X 3 STEEL ANGLE X 48 X 144 HRS X 4 STEEL ANGLE	2 2 2 2 4 4 4 4 2 2 2 4 2 2
Indexances A09-0319(05/11/09 Intervention FRACTIONAL ± / ANGULAR: MACH ± 1/2° TWO PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.010 D BRASWELL 10/14/09 D BRASWELL 10/14/09 FRAME WORK, LIFT SUPPORT MATERIAL SEE PARTS LIST PROJ ENGINEER E LAWRENCE 10/16/09 OUALITY ASSURANCE S FREE 10/16/09 CONFIGURATION FRAME WORK, LIFT SUPPORT FINISH PAINT PROVAL DRAFTSMAN POSTED BY L HELVIN 10/16/09 SIZE C 0DE IDENT NO. ODE IDENT NO. FINISH PAINT APPROVAL APPROVAL EEC-132996-1000			1 2 3 4 5 6 7 8 9 10 11 11 12 13	132996-99 132996-98 132996-97 132996-96 132996-95 132996-94 132996-93 132996-92 132996-91 132996-90 132996-89 132996-88 132996-87	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2 1/4 X 3/16 HOT F	X 3 STEEL ANGLE X 48 X 144 HRS X 4 STEEL ANGLE ROLLED TREAD PLATE X 4 STEEL ANGLE	2 2 2 2 4 4 4 2 2 2 4 2 2 4 2 2 4 2 14 2
TWO PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.010 DBRASWELL 10/14/09 FRAME WORK, LIFT SUPPORT MATERIAL SEE PARTS LIST ELAWRENCE 10/16/09 FREE 10/16/09 QUALITY ASSURANCE S FREE 10/16/09 STEWART 10/16/09 SIZE CONFIGURATION B STEWART 10/16/09 SIZE CODE IDENT NO. PROVAL DRAFISMAN POSTED BY L HELVIN 10/16/09 SIZE CODE IDENT NO. PAINT APPROVAL PROVAL SO187 EEC-132996-100		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES	1 2 3 4 5 6 7 8 9 10 11 12 13 DRAFTSMAN	132996-99 132996-98 132996-97 132996-95 132996-95 132996-94 132996-92 132996-92 132996-91 132996-89 132996-89 132996-87 E RIVERS	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2 1/4 2 1/4 X 1/4 X 4 3/16 HOT F 1/4 X 4	X 3 STEEL ANGLE X 48 X 144 HRS X 4 STEEL ANGLE COLLED TREAD PLATE X 4 STEEL ANGLE ENTERPRISE ELECTRONICS	2 2 2 4 4 4 4 2 2 2 4 2 2 4 2 14 2 2 14 2 CORPORATION
MATERIAL PROJENSINE LI ST PROJENSINE LI ST MATERIAL QUALITY ASSURANCE 10/16/09 SEE PARTS LIST QUALITY ASSURANCE 5 FREE 10/16/09 CONFIGURATION B STEWART 10/16/09 SIZE CODE IDENT NO. DRAFTSMAN POSTED BY L HELVIN 10/16/09 C 50187 PAINT APPROVAL C 50187 EEC-132996-100		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL± /	1 2 3 4 5 6 7 8 9 10 11 12 13 DRAFISMAN WORK ORDER I	132996-99 132996-98 132996-97 132996-96 132996-94 132996-93 132996-92 132996-92 132996-90 132996-89 132996-89 132996-88 132996-88 132996-87 E. RIVERS □0[13/09] NUMBER A09-0319 05/11/09	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2 1/4 2 1/4 X 1/4 X 4 3/16 HOT F 1/4 X 4	X 3 STEEL ANGLE X 48 X 144 HRS X 4 STEEL ANGLE COLLED TREAD PLATE X 4 STEEL ANGLE ENTERPRISE ELECTRONICS	2 2 2 4 4 4 4 2 2 2 4 2 2 4 2 14 2 2 14 2 CORPORATION
SEE PARTS LIST S FREE 10/16/09 CONFIGURATION B STEWART 10/16/09 SIZE CODE IDENT NO. DWG. NO. PAINT APPROVAL		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± / ANGULAR: MACH ± 1/2°. TWO PLACE DECIMAL ±.03	1 2 3 4 5 6 7 8 9 10 11 12 13 DRAFISMAN WORK ORDERT CHECKER	132996-99 132996-98 132996-97 132996-96 132996-94 132996-94 132996-92 132996-92 132996-90 132996-89 132996-89 132996-88 132996-88 132996-88 132996-87 E. RIVERS DATE 10/13/09 NUMBER A09-0319 05/11/09 DBRASWELL 10/14/09 EBRASWELL 10/14/09	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2 1/4 2 1/4 X 4 3/16 HOT F 1/4 X 4 EEC ® FRAM	X 3 STEEL ANGLE X 48 X 144 HRS X 4 STEEL ANGLE COLLED TREAD PLATE X 4 STEEL ANGLE ENTERPRISE ELECTRONICS ENTERPRISE, ALABA	2 2 2 2 4 4 4 2 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 14 2 2 0 4 2 2 2 4 3 2 2 2 4 3 2 2 3 4 3 2 3 30 330
FINISH PAINT APPROVAL LHELVIN 10/16/09 C 50187 EEC-132996-100		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± / ANGULAR: MACH ± 1/2° TWO PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.010 MATERIAL	1 2 3 4 5 6 7 8 9 10 11 12 13 DRAFTSMAN WORK ORDER F CHECKER DESIGN ENGINE PROJ ENGINE	132996-99 132996-98 132996-97 132996-96 132996-95 132996-94 132996-92 132996-92 132996-90 132996-89 132996-89 132996-88 132996-88 132996-88 132996-88 132996-88 132996-88 132996-87 E. RIVERS 10/13/09 NUMBER A09-0319 05/11/09 DBRASWELL 10/14/09 EBRASWELL 10/14/09 CAMPENCE 10/16/09	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2 1/4 2 1/4 X 4 3/16 HOT F 1/4 X 4 EEC ® FRAM	X 3 STEEL ANGLE X 48 X 144 HRS X 4 STEEL ANGLE COLLED TREAD PLATE X 4 STEEL ANGLE ENTERPRISE ELECTRONICS ENTERPRISE, ALABA	2 2 2 2 4 4 4 2 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 14 2 2 0 4 2 2 2 4 3 2 2 2 4 3 2 2 3 4 3 2 3 30 330
PAINI C 50187 EEC-132996-100		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± / ANGULAR: MACH ± 1/2° TWO PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.010 MATERIAL	1 2 3 4 5 6 7 8 9 10 11 12 13 DRAFTSMAN WORK ORDER F CHECKER DESIGN ENGINE PROJ ENGINEE E QUALITY ASSUR	132996-99 132996-98 132996-97 132996-95 132996-95 132996-93 132996-93 132996-91 132996-91 132996-91 132996-89 132996-89 132996-88 132996-88 132996-87 E. RIVERS 10/13/09 NUMBER A09-0319 05/11/09 DBRASWELL 10/14/09 EBRASWELL 10/14/09 CANCE SEREE 10/16/09	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2 1/4 X 1/4 X 4 3/16 HOT F 1/4 X 4 STEEC® FRAM	X 3 STEEL ANGLE X 48 X 144 HRS X 4 STEEL ANGLE COLLED TREAD PLATE X 4 STEEL ANGLE ENTERPRISE ELECTRONICS ENTERPRISE, ALABA	2 2 2 2 4 4 4 2 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 14 2 2 0 4 2 2 2 4 3 2 2 2 4 3 2 2 3 4 3 2 3 30 330
SCALE: 1:12 8539 SHEET 1 OF 14		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± / ANGULAR: MACH ± 1/2° TWO PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.010 MATERIAL SEE PARTS LIST	1 2 3 4 5 6 7 8 9 10 11 12 13 DRAFTSMAN WORK ORDER T CHECKER DESIGN ENGINE DESIGN ENGINE DESIGN ENGINE DESIGN ENGINE DESIGN ENGINE DESIGN ENGINE	132996-99 132996-98 132996-97 132996-96 132996-95 132996-94 132996-93 132996-92 132996-91 132996-90 132996-89 132996-89 132996-88 132996-88 132996-88 132996-87 E. RIVERS DATE 10/13/09 DBRASWELL 10/14/09 EBRASWELL 10/14/09 EBRASWELL 10/14/09 EARCE 10/16/09 DBR STEW APT 10/16/09 DBR STEW APT 10/16/09	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2 1/4 X 4 3/16 HOT F 1/4 X 4 SIZE COD	X 3 STEEL ANGLE X 48 X 144 HRS X 4 STEEL ANGLE COLLED TREAD PLATE X 4 STEEL ANGLE ENTERPRISE ELECTRONICS ENTERPRISE, ALABA	2 2 2 2 4 4 4 2 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 14 2 2 0 4 2 2 2 4 3 2 2 2 4 3 2 2 3 4 3 2 3 30 330
		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± / ANGULAR: MACH ± 1/2° TWO PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.03 THREE PLACE DECIMAL ±.010 MATERIAL SEE PARTS LIST	1 2 3 4 5 6 7 8 9 10 11 12 13 DRAFTSMAN WORK ORDERT CHECKER DESIGN ENGINE PROJ ENGINE E ROJ ENGINE CONFIGURATIC DRAFTSMAN PO	132996-99 132996-98 132996-97 132996-96 132996-95 132996-94 132996-93 132996-92 132996-91 132996-90 132996-89 132996-89 132996-88 132996-88 132996-88 132996-87 E. RIVERS DATE 10/13/09 DBRASWELL 10/14/09 EBRASWELL 10/14/09 EBRASWELL 10/14/09 EARCE 10/16/09 DBR STEW APT 10/16/09 DBR STEW APT 10/16/09	3/8 X 3 3/8 X 3 3/8 X 2 3/8 X 2 3/8 X 3 1/4 2 1/4 2 1/4 2 1/4 2 1/4 2 1/4 X 4 3/16 HOT F 1/4 X 4 SIZE COL	X 3 STEEL ANGLE X 48 X 144 HRS X 4 STEEL ANGLE COLLED TREAD PLATE X 4 STEEL ANGLE ENTERPRISE ELECTRONICS ENTERPRISE, ALABA E WORK, LIFT SL	2 2 2 4 4 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 4 2 2 4 4 4 2 2 2 4 4 4 4 2 2 2 4 4 4 4 2 2 2 4 4 4 4 2 2 2 4 4 4 2 2 2 4 4 4 4 2 2 2 4 4 4 4 2 2 2 4 4 4 4 2 2 2 4 4 4 4 2 2 2 4 4 4 4 2 2 2 4 4 4 2 2 2 4 4 4 2 2 2 4 4 4 2 2 2 4 4 4 2 2 2 4 4 4 2 2 2 4 4 4 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 4 4 2 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 4 4 2 2 2 4 4 2 2 2 2 4 4 2 2 2 2 2 4 4 2 2 2 2 2 2 2 2 2 2 2 4 4 2











































			DRAWI WITHOU
			/PAINT
			PAINT PAINT ANTI-SI
		° °	ANTI-SI
°°	0	0	
° • • • •			
	O		
	0	o	
Ο			
	0		
Ο			
Ο	0	0 0 0	
0		0	

			REF	DES.	DESCRIPTION
			-	-99 ALUM	PL .500 THK, 6061-T651
			-	-98 ALUM	PL .500 THK, 6061-T651
5	;	4		3	





TAG	
А	
В	
С	
D	
E	

